

## **SECTION 1: PRODUCT & COMPANY IDENTIFICATION**

#### 1.1 Product Identifiers

Product Name: NANOMYTE® BE-35

Product Description: Lithium Manganese Oxide ("LMO") powder

CAS Number: 12057-17-9

## 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Laboratory chemicals; synthesis of substances; R&D

## 1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation

Address: 400 Apgar Drive, Unit E – Somerset, NJ 08873 – United States of America Phone: +1 (732) 868-3141 Fax: +1 (732) 868-3143

Email: productinfo@neicorporation.com

## 1.4 Emergency Telephone Number

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)

U.S. Poison Control Center: +1-800-222-1222

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the Substance or Mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Not a hazardous substance or mixture

## 2.2 GHS Label elements, including precautionary statements

## **Hazard Statement(s):**

Not a hazardous substance or mixture

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None

## **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

## 3.1 Substances

Component Name	Synonyms	Formula	CAS#	# Weight %
Lithium Manganese Oxide	Lithium Manganate, LMO	LiMn <sub>2</sub> O <sub>4</sub>	12057-17-9	≤ 100%

#### **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of First Aid Measures

## **General Advice:**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

### **After Inhalation:**

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

# After Skin Contact:

Wash off with soap and plenty of water.

# **After Eye Contact:**

Flush eyes with water as a precaution.

## After Swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water.



## 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (section 2.2) and/or section 11.

## 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

#### **SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

## 5.2 Special Hazards Arising from the Substance or Mixture

Lithium oxides, Manganese/manganese oxides

## 5.3 Advice for Firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Other Information

No Data Available

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Avoid dust formation. Avoid breathing vapors, mist or gas.

#### **6.2 Environmental Precautions**

Do not let product enter drains.

## 6.3 Methods and Materials for Containment and Cleaning Up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to Other Sections

For safe handling, see Section 7; for personal protection, see Section 8; for disposal, see Section 13.

# **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for Safe Handling

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

## 7.2 Conditions for Safe Storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place.

## 7.3 Specific End Uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

## **8.1 Control Parameters**

Components with workplace control parameters:

Components	CAS #	Value	<b>Control Parameters</b>	Basis	
Lithium Manganese (III,IV) Oxide	12057-17-9	Ceiling	5 mg/m <sup>3</sup>	USA Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants	
		TWA	0.1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)	
		STEL	3 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits	
		TWA	1 mg/m³	USA. NIOSH Recommended Exposure Limits	
		PEL	0.2 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Remarks:	Ceiling limit is to be determined from breathing-zone air samples.				
Remarks:	Central Nervous System impairment. Not classifiable as a human carcinogen varies				

**NANOMYTE® BE-35** – Lithium Manganese Oxide (LiMn<sub>2</sub>O<sub>4</sub>) powder



## 8.2 Exposure Controls

# **Appropriate Engineering Controls**

Handle in accordance with good industrial hygiene and safety practice. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Personal Protective Equipment**

## Eye / Face Protection:

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin Protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Recommended: Nitrile rubber, 0.11 mm minimum thickness (splash or full contact)

## **Body Protection:**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### **Respiratory Protection:**

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of Environmental Exposure**

Do not let product enter drains.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on Basic Physical and Chemical Properties

Physical State: Solid (powder)

Color: Black

Odor: No Data Available

Odor Threshold: No Data Available

pH: No Data Available

Melting Point / Range: 400 °C (752 °F)
Boiling Point / Range: No Data Available

Flash Point: No Data Available

Evaporation Rate: No Data Available

Flammability: No Data Available
Upper Explosion Limit: No Data Available

Lower Explosion Limit: No Data Available

Vapor Pressure: No Data Available

Vapor Density: No Data Available

Relative Density: No Data Available

Water Solubility: No Data Available

Partition Coefficient: No Data Available

Auto-ignition Temperature: No Data Available

Decomposition Temperature: No Data Available

Viscosity: No Data Available

# 9.2 Other Safety Information

None



#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No Data Available

## 10.2 Chemical Stability

Stable under recommended storage conditions

## 10.3 Possibility of Hazardous Reactions

No Data Available

#### 10.4 Conditions to Avoid

No Data Available

## 10.5 Incompatible Materials

Strong oxidizing agents

## 10.6 Hazardous Decomposition Products

Other Decomposition Products: Lithium oxide, manganese oxides (in the event of fire: see Section 5)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on Toxicological Effects

### **Acute Toxicity**

Oral LD50: No Data Available
Inhalation LC50: No Data Available
Dermal LD50: No Data Available
Other Information: No Data Available

#### Skin corrosion/irritation

No Data Available

# Serious eye damage/eye irritation

No Data Available

## Respiratory or skin sensitization

No Data Available

## Germ cell mutagenicity

No Data Available

## Carcinogenicity

IARC: No component of this product, present at levels greater than or equal to 0.1%, is identified as a

probable, possible, or confirmed human carcinogen by IARC.

ACGIH: No component of this product, present at levels greater than or equal to 0.1%, is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product, present at levels greater than or equal to 0.1%, is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product, present at levels greater than or equal to 0.1%, is identified as a carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No Data Available

## **Teratogenicity**

No Data Available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

No Data Available

## Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No Data Available



## **Aspiration hazard**

No Data Available

#### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, & toxicological properties have not been thoroughly investigated.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No Data Available

### 12.2 Persistence and Degradability

No Data Available

#### 12.3 Bioaccumulative Potential

No Data Available

## 12.4 Mobility in Soil

No Data Available

## 12.5 PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other Adverse Effects

No Data Available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1 Waste Treatment Methods - Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

## 13.2 Waste Treatment Methods - Contaminated Packaging

Dispose of as unused product.

#### **SECTION 14: TRANSPORT INFORMATION**

## 14.1 Department of Transportation (DOT - US)

Not dangerous goods

## 14.2 International Maritime Dangerous Goods (IMDG)

Not dangerous goods

## 14.3 International Air Transport Association (IATA)

Not dangerous goods

# **14.4 Additional Transport Information**

**HS Code:** 2841.69 **Schedule B:** 2841.69.0090

### **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

**Component:** Lithium Manganese (III,IV) Oxide (CAS: 12057-17-9)

### SARA 311/312 Hazards

Chronic Health Hazard



## **Right to Know Components:**

ComponentCAS #StatesLithium Manganese (III,IV) Oxide12057-17-9PA, NJ, IL

#### **CALIFORNIA PROPOSITION 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **Toxic Substances Control Act (TSCA) Chemical Substance Inventory**

Components: Lithium Manganese Oxide (LiMn<sub>2</sub>O<sub>4</sub>), CAS #12057-17-9

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL)

### 15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product.

#### **SECTION 16: OTHER INFORMATION**

#### **REACH Number**

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

#### **Further Information**

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

- END OF SDS -