

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 Product Identifiers

Product Name: NANOMYTE® SE-50N
Product Description: Polymer-Ceramic Hybrid solid electrolyte solution in NMP
CAS Number: A CAS number has not been assigned to this material

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Scientific research and development (solid electrolyte material for Li-ion batteries)

1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation
Address: 400 Apgar Drive, Unit E – Somerset, NJ 08873 – USA
Phone: +1 (732) 868-3141 Fax: +1 (732) 868-3143
Email: productinfo@neicorporation.com

1.4 Emergency Telephone Numbers

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)
U.S. Poison Control Center: +1 (800) 222-1222
ChemTel (North America): +1 (800) 255-3924 (during transportation only)
ChemTel (International): +1 (813) 248-0585 (during transportation only – collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 [NMP]
Acute toxicity, Oral (Category 3), H301 [LiTFSI]
Acute toxicity, Dermal (Category 3), H311 [LiTFSI]
Skin corrosion (Category 1B), H314 [LiTFSI]
Serious eye damage (Category 1), H318 [LiTFSI]
Reproductive toxicity (Category 1B), H360 [NMP]
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 [NMP, metal oxide]
Specific target organ toxicity - repeated exposure (Category 2), H373 [LiTFSI]
Chronic aquatic toxicity (Category 3), H412 [LiTFSI]

2.2 GHS Label elements, including precautionary statements

Pictogram(s): 

Signal Word: Danger

Hazard Statement(s):

H227 Combustible liquid
H301 Toxic if swallowed
H311 Toxic in contact with skin
H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage
H335 May cause respiratory irritation
H360 May damage fertility or the unborn child
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

- P210 Keep away from heat / sparks / open flames / hot surfaces — no smoking
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P264 Wash skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves, protective clothing, eye protection, face protection
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P332 + P313 If skin irritation occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention
- P362 Take off contaminated clothing and wash before reuse.
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
- P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contains N-methyl-2-pyrrolidone ("NMP"), a substance that is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Component	CAS #	Classification	Wt. Percent
N-Methyl-2-pyrrolidone ("NMP")	872-50-4	Flam. Liq. (Cat. 4); Skin Irrit. (Cat. 2); Eye Irrit. (Cat. 2A); Repr. (Cat. 1B); STOT SE (Cat. 3)	60 – 80%
Proprietary polymer	N/A (experimental)	No known hazards	15 – 30%
Bis(trifluoromethane)sulfonamide lithium salt ("LiTFSI")	90076-65-6	Acute Tox. (Cat. 3); Skin Corr. (Cat. 1B); Eye Dam. (Cat. 1); STOT RE (Cat. 2); Aquatic Acute (Cat. 3); Aquatic Chronic (Cat. 3)	5 – 10%
Metal oxide	N/A (proprietary)	Skin Corr. (Cat. 1B); STOT SE (Cat. 3)	1 – 5%

For the full text of the Classification statements mentioned in this Section, see Section 2.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice:

Move out of exposed area. Seek medical attention if irritation occurs. Show this SDS to the doctor in attendance.

After Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration and seek medical attention.

After Skin Contact:

Remove contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim to hospital immediately. Consult a physician.

After Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

After Swallowing:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No Data Available

SECTION 5: FIREFIGHTING MEASURES

5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

5.2 Hazardous Combustion Products

Carbon oxides, Nitrogen oxides (NOx), Zirconium oxides, Sulphur oxides, Hydrogen fluoride, Lithium oxides

5.3 Advice for Firefighters

Wear self-contained breathing apparatus for firefighting if necessary

5.4 Other Information

Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Use personal protective equipment at all times. Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and Materials for Containment and Cleaning Up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to Other Sections

For safe handling, see Section 7; for personal protection, see Section 8; for disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Handle in a controlled environment, under inert gas. Appropriate personal protective equipment should be used at all times. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition – no smoking. Take measures to prevent the buildup of electrostatic charge. Appropriate personal protective equipment should be used at all times. For precautions see section 2.2.

7.2 Conditions for Safe Storage (including any incompatibilities)

Best stored under inert gas. Keep container tightly sealed, in a cool, dry, and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. This material is moisture and air sensitive. Protect from humidity and keep away from water. Keep away from oxidizing agents. Store in a locked cabinet or with access restricted to technical experts or their assistants.

7.3 Specific End Uses

A part from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace control parameters:

Component Name	CAS #	Value	Control Parameters	Basis
N-methyl-2-pyrrolidone (NMP)	872-50-4	TWA	10 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

Component Name	CAS #	Value	Control Parameters	Basis
N-methyl-2-pyrrolidone (NMP)	872-50-4	PEL	1 ppm 4 mg/m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Remarks:	Skin			

Notes: TWA – Time Weighted Average; PEL – Permissible Exposure Limit

8.2 Exposure Controls

Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Keep away from food and beverages. Provide good ventilation or extraction. Safety shower and eye bath recommended. Wash hands before breaks & after workday.

Personal Protective Equipment

Eye / Face Protection:

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection:

Handle with chemical resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands after use.

Body Protection:

Impervious, flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Form:	Liquid
Color:	Off white
Odor:	No Data Available
pH:	No Data Available
Melting point/range:	No Data Available
Specific Gravity:	No Data Available
Density (20 °C):	No Data Available
Viscosity (20 °C):	No Data Available
Boiling Point:	No Data Available
Flashpoint:	No Data Available
Ignition Temperature:	No Data Available
Auto-ignition Temperature:	No Data Available
Lower Explosion Limit:	No Data Available
Upper Explosion Limit:	No Data Available
Vapor Pressure:	No Data Available
Vapor Density:	No Data Available

Water Solubility: No Data Available

Evaporation Rate: No Data Available

9.2 Other Information

No Data Available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No Data Available

10.2 Chemical Stability

Stable under recommended storage conditions (see Section 7.2)

10.3 Possibility of Hazardous Reactions

No Data Available

10.4 Conditions to Avoid

Heat, flames, and sparks

10.5 Incompatible Materials

Strong acids, strong oxidizing agents, strong reducing agents

10.6 Hazardous Decomposition Products

Other decomposition products - no data available; in the event of fire, see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Acute Toxicity

Oral LD50: No Data Available

Inhalation LC50: No Data Available

Dermal LD50: No Data Available

Other Information: No Data Available

Skin corrosion/irritation

Causes severe skin burns

Serious eye damage/eye irritation

Causes serious eye damage

Respiratory or skin sensitization

No Data Available

Germ cell mutagenicity

No Data Available

Carcinogenicity

IARC: No classification data on carcinogenic properties of the material is available.

ACGIH: No classification data on carcinogenic properties of the material is available.

NTP: No classification data on carcinogenic properties of the material is available.

OSHA: No classification data on carcinogenic properties of the material is available.

Reproductive Toxicity

No Data Available

Teratogenicity

No Data Available

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System)

May cause respiratory irritation

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System)

Effects not known

Aspiration Hazard

No Data Available

Additional Information

NMP: Prolonged or repeated exposure can cause vomiting, diarrhea, abdominal pain. Rats exposed to N-methyl-2-pyrrolidinone at a concentration of 1 mg/l as an aerosol for 10 days, showed depletion of hematopoietic cells in the bone marrow and atrophy of the lymphoid tissues of the thymus, spleen, and lymph nodes. (RTECS: UY5790000)

Bone marrow - Irregularities - Based on Human Evidence

Lithium Salt: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. May cause shortness of breath, cough, headache, or nausea. (RTECS: not available)

To the best of our knowledge, the chemical, physical, and toxicological properties of this product have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

No Data Available

12.2 Persistence and Degradability

No Data Available

12.3 Bioaccumulative Potential

No Data Available

12.4 Mobility in Soil

No Data Available

12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not conducted / required.

12.6 Other Adverse Effects

Harmful to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods – Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

13.2 Waste Treatment Methods – Contaminated Packaging

Dispose of properly as you would with unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 Department of Transportation (DOT - US)

UN number: 2922

Class: 8 (6.1)

Packing Group: II

Proper Shipping Name: Corrosive liquid, toxic, n.o.s. (Solution of N-Methyl-2-pyrrolidone and Bis(trifluoromethane)sulfonimide lithium salt)

14.2 International Maritime Dangerous Goods (IMDG)

UN number: 2922

Class: 8 (6.1)

Packing Group: II

Proper Shipping Name: Corrosive liquid, toxic, n.o.s. (Solution of N-Methyl-2-pyrrolidone and Bis(trifluoromethane)sulfonimide lithium salt)

14.3 International Air Transport Association (IATA)

UN number: 2922

Class: 8 (6.1)

Packing Group: II

Proper Shipping Name: Corrosive liquid, toxic, n.o.s. (Solution of N-Methyl-2-pyrrolidone and Bis(trifluoromethane)sulfonimide lithium salt)

14.4 Additional Transport Information

HS Classification #: 2933.79 **Schedule B #:** 2933.79.2000

Air Excepted Quantities: 30g or mL (net) / 0.5kg or L (gross) [E2]

Air Limited Quantities: 0.5L (Y840)

Ground Limited Quantities: 1kg or L (net) / 30kg or L (gross)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

<u>Component Name</u>	<u>CAS #</u>
N-methyl-2-pyrrolidone (NMP)	872-50-4

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

The following product components are cited on the lists below:

<u>Component</u>	<u>CAS #</u>	<u>List Citations</u>
N-methyl-2-pyrrolidone (NMP)	872-50-4	PA, MA, NJ Right to Know
Bis(trifluoromethane)sulfonimide lithium salt (LiTFSI)	90076-65-6	PA, NJ Right to Know

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Candidate List of Substances of Very High Concern (SVHC)

This product contains N-methyl-2-pyrrolidone ("NMP"), a substance that is included in the Candidate List of SVHC, according to Regulation (EC) No. 1907/2006 (REACH)

15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product

SECTION 16: OTHER INFORMATION

REACH Number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

HMIS Classification

Health Hazard: 3
 Flammability Hazard: 2
 Physical Hazard: 1

NFPA Rating

Health Hazard: 3
 Flammability Hazard: 2
 Reactivity Hazard: 1

Further Information

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

– END OF SDS –