

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 Product Identifiers

Product Name: NANOMYTE® SR-100 (Part B)
 CAS Number: A CAS number has not been assigned to this product.

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Abrasion resistant coating for plastics, metals, and other surfaces

1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation
 Address: 400 Apgar Drive, Unit E | Somerset, NJ 08873 – USA
 Phone: +1 (732) 868-3141 Fax: +1 (732) 868-3143
 Email: productinfo@neicorporation.com

1.4 Emergency Telephone Numbers

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)
 U.S. Poison Control Center: +1 (800) 222-1222
 ChemTel (North America): +1 (800) 255-3924 (during transportation only)
 ChemTel (International): +1 (813) 248-0585 (during transportation only – collect calls accepted)


SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious eye damage (Category 1), H318
 Acute aquatic toxicity (Category 3), H402

2.2 GHS Label elements, including precautionary statements

Pictogram(s): 

Signal Word: Danger

Hazard Statement(s):

H318 Causes serious eye damage
 H402 Harmful to aquatic life

Precautionary Statement(s):

P273 Avoid release to the environment
 P280 Wear protective gloves, protective clothing, eye protection, face protection
 P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
 + P338 + P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
 P501 Dispose of contents in a safe manner in accordance to local / national regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No additional information available

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Component	CAS #	Hazard Classifications	Concentration
Trade Secret	Proprietary	Eye Dam. (Cat. 1) – H318; Aquatic Acute (Cat. 3) – H402	≤ 100%

Hazard Classification Statements in this section have been abbreviated; refer to Section 2 for full text.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice:

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

After Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

After Skin Contact:

Wash off with soap and plenty of water. If skin irritation occurs, seek medical attention.

After Eye Contact:

Immediately flush eyes copiously with water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison center or seek medical attention.

After Ingestion:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

5.2 Special Hazards Arising from the Substance or Mixture

No data available

5.3 Advice for Firefighters

Wear full protective clothing and self-contained breathing apparatus approved for firefighting

5.4 Other Information

No additional information available

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors, mist, or gas. Keep unprotected persons away.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and Materials for Containment and Cleaning Up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to Other Sections

For safe handling, see Section 7; for personal protection, see Section 8; for disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Appropriate personal protective equipment should be used at all times. Provide good ventilation or extraction. Avoid contact with eyes. Avoid inhalation of vapor or mist.

7.2 Conditions for Safe Storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Storage class (TRGS 510): Combustible liquids

7.3 Specific End Uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure Controls

Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Keep away from food and beverages. Provide good ventilation or extraction. Safety shower and eye bath recommended. Wash hands before breaks & after workday.

Personal Protective Equipment

Eye / Face Protection:

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection:

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Form:	Liquid
Color:	Colorless
Odor:	Aromatic
pH:	No Data Available
Freezing point/range:	No Data Available
Initial Boiling point/range:	120 °C @ 2 mm Hg
Flashpoint:	122 °C (252 °F) - Cleveland open cup
Auto-ignition Temperature:	No Data Available
Evaporation Rate:	No Data Available
Lower Explosion Limit:	0.43 %(V)
Upper Explosion Limit:	No Data Available
Vapor Pressure:	2 mm Hg @ 120 °C
Vapor Density:	No Data Available

Relative Density: 1.07 g/cm³ at 25 °C (77 °F)
Water Solubility: No Data Available
Auto-ignition temperature: No Data Available
Decomposition Temperature: No Data Available
Viscosity: No Data Available
Explosive Properties: No Data Available
Oxidizing Properties: No Data Available

9.2 Other Information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical Stability

Stable under recommended storage conditions (see Section 7.2)

10.3 Possibility of Hazardous Reactions

No Data Available

10.4 Conditions to Avoid

No Data Available

10.5 Incompatible Materials

Oxidizing agents

10.6 Hazardous Decomposition Products

Carbon oxides, silicon oxides, methanol is given off during processing and by reaction with water

Under Fire Conditions: see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Acute Toxicity

Oral LD50: 8030 mg/kg (rat)

Inhalation LC50: No data available

Dermal LD50: 4,248 mg/kg (rabbit)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes – Rabbit; Result: Risk of serious damage to eyes

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product (present at levels greater than or equal to 0.1%) is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product (present at levels greater than or equal to 0.1%) is identified as a carcinogen or potential carcinogen by ACGIH.

- NTP:** No component of this product (present at levels greater than or equal to 0.1%) is identified as a known or anticipated carcinogen by NTP.
- OSHA:** No component of this product (present at levels greater than or equal to 0.1%) is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Teratogenicity

No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

Aspiration hazard

No data available

Additional Information

RTECS: VV4025000

Material may form a siloxane polymer on the skin, eyes, or in the lungs. In the event of direct contact of the liquid with these tissues, seek medical attention.

The chemical, physical, and toxicological properties of this product have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to Fish:	LC50 - Oncorhynchus mykiss (Rainbow Trout) – 237 mg/l - 96h
	LC50 - Cyprinus carpio (Carp) - 55 mg/l - 96h
Toxicity to daphnia and other aquatic invertebrates:	EC50 - Daphnia magna (Water flea) – 473 & 710 mg/l - 48 h
Toxicity to algae:	EC50 - Desmodesmus subspicatus (green algae) - 255 mg/l - 72 h

12.2 Persistence and Degradability

Readily biodegradable

12.3 Bioaccumulative Potential

No Data Available

12.4 Mobility in Soil

No Data Available

12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other Adverse Effects

Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated Packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 Department of Transportation (DOT - US)

Not regulated for transport

14.2 International Maritime Dangerous Goods (IMDG)

Not regulated for transport

14.3 International Air Transport Association (IATA)

Not regulated for transport

14.4 Additional Transport Information

HS Classification #: 2931.90

Schedule B #: 2931.90.9000

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

CALIFORNIA PROPOSITION 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product

SECTION 16: OTHER INFORMATION

REACH Number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

HMIS Classification

Health Hazard: 2
Flammability Hazard: 1
Physical Hazard: 0

NFPA Rating

Health Hazard: 2
Flammability Hazard: 1
Reactivity Hazard: 0

Further Information

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

- END OF SDS -