

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 Product Identifiers

Product Names: NANOMYTE® SR-Primer (includes SRP-50 and SRP-51)

CAS Number: A CAS number has not been assigned to this material

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Laboratory chemicals, adhesion promotor, coating

1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation

Address: 400 Apgar Drive, Unit E | Somerset, NJ 08873 – USA

Phone: +1 (732) 868-3141

Fax: +1 (732) 868-3143

Email: productinfo@neicorporation.com

1.4 Emergency Telephone Numbers

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)

U.S. Poison Control Center: +1 (800) 222-1222

ChemTel (North America): +1 (800) 255-3924 (during transportation only)

ChemTel (International): +1 (813) 248-0585 (during transportation only – collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3); Central nervous system, H336

2.2 Label Elements

GHS Label Elements, including precautionary statements

Pictogram(s):   

Signal Word: Danger

Hazard Statement(s):

H226 Flammable liquid and vapor

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

P271 Use only outdoors or in a well-ventilated area

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
 P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.
 P405 Store locked up.
 P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Component Name	Formula	CAS #	Weight %
Propylene Glycol Monomethyl Ether ("PGME")	C ₄ H ₁₀ O ₂	107-98-2	78 – 82%
Hazard Classification: Flam. Liq. Cat. 3 (H226); STOT SE Cat. 3 (H336); contains <0.3% 2-methoxypropanol (1589-47-5)			
Acetone	C ₃ H ₆ O	67-64-1	12 – 18%
Hazard Classification: Flam. Liq. Cat. 2 (H225); Eye Irrit. Cat. 2A (H319); STOT SE Cat. 3 (H336)			
Proprietary Resin	n/a	n/a*	< 3%
Hazard Classification: Not classified			

**This material is not registered in the CAS Registry database.*

Hazard Classification Statements in this section have been abbreviated; refer to Sections 2 & 16 for full text.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice:

Remove contaminated clothing and shoes. If irritation persists or you feel unwell, seek immediate medical attention. Show this safety data sheet to the doctor in attendance.

After Inhalation:

Remove person to fresh air and keep comfortable for breathing. Call a poison center or physician if you feel unwell.

After Skin Contact:

Immediately remove all contaminated clothing. Rinse skin with water/ shower.

After Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

After Ingestion:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No Data Available

SECTION 5: FIREFIGHTING MEASURES

5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

5.2 Special Hazards Arising from the Substance or Mixture

Flash back possible over considerable distance. Container explosion may occur under fire conditions. Vapors may form explosive mixture with air. May form peroxides of unknown stability.

5.3 Advice for Firefighters

Wear full protective clothing and self-contained breathing apparatus approved for firefighting.

5.4 Other Information

Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and Materials for Containment and Cleaning Up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to Other Sections

For disposal see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Use personal protective equipment at all times. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition. No smoking. Take measures to prevent the buildup of electrostatic charge. For additional precautions, see section 2.2.

7.2 Conditions for Safe Storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Contains PGME, which is air sensitive and forms explosive peroxides on prolonged storage. May form peroxides on contact with air. Purge with inert gas as precaution. Storage class (TRGS 510): Flammable liquids

7.3 Specific End Uses

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace control parameters:

Component Name	CAS #	Value	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Propylene Glycol Monomethyl Ether	107-98-2	TWA	50 ppm	n/a	100 ppm 360 mg/m ³
Remarks: Upper Respiratory Tract irritation; Eye irritation; Not classifiable as a human carcinogen					
Acetone	67-64-1	TWA	250 ppm	1,000 ppm / 2,400 mg/m ³	250 ppm 590 mg/m ³
Remarks: Central Nervous System impairment; Hematologic effects; Upper Respiratory Tract irritation; Eye irritation					

Notes: PEL – Permissible Exposure Limit; TLV – Threshold Limit Values; REL – Recommended Exposure Limits

8.2 Exposure Controls

Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at end of day.

Personal Protective Equipment

Eye / Face Protection:

Face shield and/or safety glasses should be worn. Use eye protection equipment that is tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand Protection:

Handle with chemical resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands after use.

Skin and Body Protection:

Impervious clothing; flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Form:	Liquid, clear
Color:	Colorless
Odor:	Alcohol-like
pH:	No Data Available
Melting / Freezing Point:	No Data Available
Initial Boiling Point / Range:	No Data Available
Flashpoint (closed cup):	No Data Available
Evaporation Rate:	No Data Available
Flammability (solid, gas):	No Data Available
Upper Explosion Limit:	No Data Available
Lower Explosion Limit:	No Data Available
Vapor Pressure (20.0 °C):	No Data Available
Vapor Density:	No Data Available
Relative Density:	No Data Available
Water Solubility:	Completely Miscible
Auto-ignition Temperature:	No Data Available
Decomposition Temperature:	No Data Available
Viscosity:	No Data Available
Explosive Properties:	No Data Available

9.2 Other Information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No Data Available

10.2 Chemical Stability

May form peroxides on prolonged storage. Date container and periodically test for peroxides. Stable under recommended storage conditions (see Section 7.2).

10.3 Possibility of Hazardous Reactions

Vapors may form explosive mixture with air.

10.4 Conditions to Avoid

Heat, flames, sparks

10.5 Incompatible Materials

Strong acids, strong bases, strong oxidizers, reducing agents; Acetone reacts violently with phosphorous oxychloride

10.6 Hazardous Decomposition Products

Other decomposition products: No Data Available (in the event of fire, see Section 5)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50
PGME	3,739 mg/kg (rat, male)	> 2,000 mg/kg (rabbit)	30.02 mg/l (4hrs, rat)
Acetone	5,800 mg/kg (rat)	7,426 mg/kg (guinea pig)	50,100 mg/m ³ - 8h (rat)

Skin corrosion/irritation

May cause skin irritation

Serious eye damage/eye irritation

Causes eye irritation

Respiratory or skin sensitization

No Data Available

Germ cell mutagenicity

No Data Available

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by EPA, IRAC, NTP, OSHA or ACGIH.

Reproductive Toxicity

No Data Available

Teratogenicity

No Data Available

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System)

May cause drowsiness or dizziness

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System)

No Data Available

Aspiration Hazard

No Data Available

Additional Information

RTECS: UB7700000 (PGME); AL3150000 (Acetone)

Note: The chemical, physical, and toxicological properties of this product have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Component	Green Algae (EC50)	Fish / Rainbow Trout (LC50)	Water Flea (EC50)
PGME	7 d, Growth rate inhibition, > 1,000 mg/l	96 Hour, >= 1,000 mg/l	21,100 - 25,900 mg/l (48hrs)
Acetone	530 mg/l - 8 d (DIN 38412)	5,540 mg/l - 96 h	8,800 mg/l - 48 h

12.2 Persistence and Degradability

No Data Available

12.3 Bioaccumulative Potential

No Data Available

12.4 Mobility in Soil

No Data Available

12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not conducted

12.6 Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Product: This product when disposed of in its unused and uncontaminated state should be treated as a hazardous waste. Contact a licensed professional waste disposal service to dispose of this material. Do not dump into any sewers, on the ground, or into any body of water. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations.

Packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 Department of Transportation (DOT - US)

UN number: 1866

Class: 3

Packing Group: III

Proper Shipping Name: Resin Solution, flammable

14.2 International Maritime Dangerous Goods (IMDG)

UN number: 1866

Class: 3

Packing Group: III

Proper Shipping Name: Resin Solution, flammable

14.3 International Air Transport Association (IATA)

UN number: 1866

Class: 3

Packing Group: III

Proper Shipping Name: Resin Solution, flammable

14.4 Additional Transport Information

Ground Limited Quantities: 5L (net) / 30kg (gross)

Air Excepted Quantities (EQ): 30mL (net) / 1L (gross) [E1]

Air Limited Quantities (LQ): 10L (gross) [Y344]

HS Classification #: 3208.90

Schedule B #: 3208.90.0000

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (DeMinimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Right to Know Components

"PGME" 1-Methoxy-2-Propanol (CAS #107-98-2); Acetone (CAS #67-64-1)

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Toxic Substances Control Act (TSCA) Chemical Substance Inventory

"PGME" 1-Methoxy-2-Propanol (CAS #107-98-2); Acetone (CAS #67-64-1)

Candidate List of Substances of Very High Concern (SVHC)

None

15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product

SECTION 16: OTHER INFORMATION

Full Text of H-Statements referred to under Section 3

Acute Tox:	Acute toxicity	Flam. Liq.:	Flammable Liquid
Cat.:	Category	STOT SE:	Specific target organ toxicity, single exposure
Eye Irrit.:	Eye irritation		

REACH Number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

HMIS Classification

Health Hazard: 2
Flammability Hazard: 3
Physical Hazard: 0

NFPA Rating

Health Hazard: 2
Flammability Hazard: 3
Reactivity Hazard: 0

Further Information

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

– END OF SDS –