

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 Product Identifiers

NEI Product ID: CBP-50C

Product Description: LiNbO₃-coated Lithium Nickel Manganese Cobalt Oxide ("NMC111") powder

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Laboratory chemicals, research & development, lithium-ion batteries

1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation

Address: 400 Apgar Drive, Unit E | Somerset, NJ 08873 – USA

Phone: +1 (732) 868-3141

Fax: +1 (732) 868-3143

Email: productinfo@neicorporation.com

1.4 Emergency Telephone Number

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)

U.S. Poison Control Center: +1-800-222-1222

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin sensitization (Category 1), H317

Carcinogenicity (Category 2), H351

2.2 GHS Label elements, including precautionary statements

GHS Label Elements, including precautionary statements

Pictogram(s):



Signal Word: Warning

Hazard Statement(s):

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

Precautionary Statement(s):

P202 Do not handle until all safety precautions have been read and understood

P232 Protect from moisture

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves, protective clothing, & eye protection

P302 + P352 IF ON SKIN: Wash with plenty of soap and water

P308 + P313 IF exposed or concerned: Get medical advice/ attention

P321 Specific treatment (see supplemental first aid instructions on this label)

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse

P405 Store locked up

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None

CBP-50C: LiNbO₃-coated Lithium Nickel Manganese Cobalt Oxide (NMC111) powder

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS
3.1 Substances

Component Name	Synonym	Formula	CAS #	Weight %
Lithium Nickel Manganese Cobalt Oxide	NMC111, NMC333	$\text{LiNi}_{0.33}\text{Mn}_{0.33}\text{Co}_{0.33}\text{O}_2$	346417-97-8	99 – 99.25%
Hazards: Skin sensitization (Category 1, H317); Carcinogenicity (Category 2, H351)				
Lithium Niobate	Lithium niobium trioxide	LiNbO_3	12031-63-9	0.75 – 1%
Hazards: None				

SECTION 4: FIRST AID MEASURES
4.1 Description of First Aid Measures
General Advice:

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

After Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Seek medical attention.

After Skin Contact:

Wash with soap and copious amounts of water. Seek medical attention if irritation develops.

After Eye Contact:

Flush eyes copiously with water as a precaution. Seek medical attention if irritation develops.

After Swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek medical attention.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

SECTION 5: FIREFIGHTING MEASURES
5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

5.2 Special Hazards Arising from the Substance or Mixture

No Data Available

5.3 Advice for Firefighters

Wear self-contained breathing apparatus for firefighting if necessary

5.4 Further Information

None

SECTION 6: ACCIDENTAL RELEASE MEASURES
6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and Materials for Containment and Cleaning Up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in closed containers for disposal.

6.4 Reference to Other Sections

For personal protection, see section 8; for disposal see Section 13.

CBP-50C: LiNbO_3 -coated Lithium Nickel Manganese Cobalt Oxide (NMC111) powder

SECTION 7: HANDLING AND STORAGE
7.1 Precautions for Safe Handling

Appropriate personal protective equipment should be used at all times. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged or repeated breathing of dust. Avoid contact with eyes and skin. Wash hands thoroughly after handling. See Section 2.2 for precautions.

7.2 Conditions for Safe Storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place. Avoid moisture.

7.3 Specific End Uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION
8.1 Control Parameters
Components with workplace control parameters:

Component Name	CAS #	Value	Control Parameters	Basis
NMC111	346417-97-8	TWA	0.02 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Pulmonary function; Asthma; Myocardial effects; Confirmed animal carcinogen with unknown relevance to humans varies			

Biological Occupational Exposure Limits

Component Name	CAS #	Value	Parameters	Biological Specimen	Basis
NMC111	346417-97-8	15 µg/l	Cobalt	Urine	ACGIH - Biological Exposure Indices (BEI)
Remarks	End of work shift				

8.2 Exposure Controls
Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal Protective Equipment
Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye / Face Protection:

Face shield and/or safety glasses should be worn. Use eye protection equipment that is tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin / Hand Protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES
9.1 Information on Basic Physical and Chemical Properties

Physical State: Solid (powder)

CBP-50C: LiNbO₃-coated Lithium Nickel Manganese Cobalt Oxide (NMC111) powder

Color: Black
Odor: Odorless
Odor Threshold: No Data Available
pH: No Data Available
Melting Point / Range: > 290 °C (> 554 °F) - lit.
Boiling Point / Range: No Data Available
Flash Point: No Data Available
Evaporation Rate: No Data Available
Flammability: No Data Available
Upper Explosion Limit: No Data Available
Lower Explosion Limit: No Data Available
Vapor Pressure: No Data Available
Vapor Density: No Data Available
Relative Density: No Data Available
Water Solubility: No Data Available
Partition Coefficient: No Data Available
Auto-ignition Temperature: No Data Available
Decomposition Temperature: No Data Available
Viscosity: No Data Available

9.2 Other Safety Information

No Data Available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No Data Available

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of Hazardous Reactions

No Data Available

10.4 Conditions to Avoid

Moisture

10.5 Incompatible Materials

Strong oxidizing agents

10.6 Hazardous Decomposition Products

Under fire conditions: Nickel / nickel oxides, Lithium oxides, Cobalt / cobalt oxides, Manganese / manganese oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50
NMC111	No data available	No data available	No data available
Lithium Niobate	No data available	No data available	No data available

Skin corrosion/irritation

No Data Available

Serious eye damage/eye irritation

No Data Available

CBP-50C: LiNbO₃-coated Lithium Nickel Manganese Cobalt Oxide (NMC111) powder

Respiratory or skin sensitization

May cause sensitization by skin contact

Germ cell mutagenicity

No Data Available

Carcinogenicity

IARC: Group 1: Carcinogenic to humans

NTP: Known - Known to be human carcinogen

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No Data Available

Teratogenicity

No Data Available

Specific target organ toxicity - single exposure (Globally Harmonized System)

No Data Available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No Data Available

Aspiration hazard

May be irritating to the nose, mucous membranes and respiratory system

Signs and Symptoms of Exposure

Systemic Lithium Toxicity Warning: High-level or repeated exposure to lithium ions can cause severe kidney damage (worsened by low salt intake) and central nervous system failure, leading to tremors, slurred speech, and loss of motor control. Chronic exposure may also trigger thyroid dysfunction, dehydration, and gastrointestinal distress.

SECTION 12: ECOLOGICAL INFORMATION
12.1 Toxicity

Component	Green Algae (OECD 201)	Freshwater Fish (OECD 203)	Water Flea (OECD 202)
NMC111	No data available	No data available	No data available
Lithium Niobate	No data available	No data available	No data available

12.2 Persistence and Degradability

No Data Available

12.3 Bioaccumulative Potential

No Data Available

12.4 Mobility in Soil

No Data Available

12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not conducted

12.6 Other Adverse Effects

Do not allow to enter drains or waterways.

SECTION 13: DISPOSAL CONSIDERATIONS
13.1 Waste Treatment Methods – Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

CBP-50C: LiNbO₃-coated Lithium Nickel Manganese Cobalt Oxide (NMC111) powder

13.2 Waste Treatment Methods – Contaminated Packaging

Dispose of as unused product, clean residue from packaging (do not allow in drains), & dispose of properly.

SECTION 14: TRANSPORT INFORMATION

14.1 Department of Transportation (DOT - US)

Not Dangerous Goods

14.2 International Maritime Dangerous Goods (IMDG)

Not Dangerous Goods

14.3 International Air Transport Association (IATA)

Not Dangerous Goods

14.4 Additional Transport Information

HS Code: 3824.99 **US Schedule B:** 3824.99.3910

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Right to Know Components

Lithium Nickel Manganese Cobalt Oxide (CAS #346417-97-8); Lithium Niobate (CAS #12031-63-9)

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Toxic Substances Control Act (TSCA) Chemical Substance Inventory

Components: Lithium Niobium Oxide (CAS #12031-63-9)

15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product.

SECTION 16: OTHER INFORMATION

REACH Number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

Further Information

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

- End of SDS -