

#### **SECTION 1: PRODUCT & COMPANY IDENTIFICATION**

#### 1.1 Product Identifiers

NEI Product ID: CBP-50

Product Description: Lithium Nickel Manganese Cobalt Oxide ("NMC111") powder **1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against** 

Identified Uses: Laboratory chemicals, research & development, lithium-ion batteries

# 1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation

Address: 400 Apgar Drive, Unit E | Somerset, NJ 08873 – USA

Phone: +1 (732) 868-3141 Fax: +1 (732) 868-3143

Email: productinfo@neicorporation.com

### 1.4 Emergency Telephone Number

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)

U.S. Poison Control Center: +1-800-222-1222

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the Substance or Mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin sensitization (Category 1), H317 Carcinogenicity (Category 2), H351

# 2.2 GHS Label elements, including precautionary statements

GHS Label Elements, including precautionary statements

Pictogram(s):





Signal Word: Warning

Hazard Statement(s):

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

Precautionary Statement(s):

P202 Do not handle until all safety precautions have been read and understood

P232 Protect from moisture

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves, protective clothing, & eye protection

P302 + P352 IF ON SKIN: Wash with plenty of soap and water

P308 + P313 IF exposed or concerned: Get medical advice/ attention

P321 Specific treatment (see supplemental first aid instructions on this label)

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse

P405 Store locked up

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None



# **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Component Name	Synonym	Formula	CAS #	Weight %		
Lithium Nickel Manganese Cobalt Oxide	NMC111, NMC333	LiNi <sub>0.33</sub> Mn <sub>0.33</sub> Co <sub>0.33</sub> O <sub>2</sub>	346417-97-8	100%		
Hazards: Skin sensitization (Category 1, H317); Carcinogenicity (Category 2, H351)						

### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of First Aid Measures

### **General Advice:**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **After Inhalation:**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Seek medical attention.

#### **After Skin Contact:**

Wash with soap and copious amounts of water. Seek medical attention if irritation develops.

### **After Eye Contact:**

Flush eyes copiously with water as a precaution. Seek medical attention if irritation develops.

#### After Swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek medical attention.

# 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

### 5.2 Special Hazards Arising from the Substance or Mixture

No Data Available

# 5.3 Advice for Firefighters

Wear self-contained breathing apparatus for firefighting if necessary

# **5.4 Further Information**

None

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# **6.1 Personal Precautions, Protective Equipment, and Emergency Procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

### **6.2 Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and Materials for Containment and Cleaning Up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in closed containers for disposal.

# **6.4 Reference to Other Sections**

For personal protection, see section 8; for disposal see Section 13.



#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for Safe Handling

Appropriate personal protective equipment should be used at all times. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged or repeated breathing of dust. Avoid contact with eyes and skin. Wash hands thoroughly after handling. See Section 2.2 for precautions.

### 7.2 Conditions for Safe Storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place. Avoid moisture.

### 7.3 Specific End Uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **8.1 Control Parameters**

### Components with workplace control parameters:

Component Name	CAS #	Value	<b>Control Parameters</b>	Basis	
NMC111	346417-97-8	TWA	0.02 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)	
Remarks	Pulmonary function; Asthma; Myocardial effects; Confirmed animal carcinogen with unknown				
Remarks	relevance to humans varies				

### **Biological Occupational Exposure Limits**

Component Name	CAS #	Value	Parameters	Biological Specimen	Basis
NMC111	346417-97-8	15 μg/l	Cobalt	Urine	ACGIH - Biological Exposure Indices (BEI)
Remarks	End of work shif	ť			

### **8.2 Exposure Controls**

### **Appropriate Engineering Controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# **Personal Protective Equipment**

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye / Face Protection:

Face shield and/or safety glasses should be worn. Use eye protection equipment that is tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin / Hand Protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection:** 

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Control of Environmental Exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.



### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on Basic Physical and Chemical Properties

Physical State: Solid (powder)

Color: Black

Odor: Odorless

Odor Threshold: No Data Available

pH: No Data Available

Melting Point / Range: > 290 °C (> 554 °F) - lit.

Boiling Point / Range: No Data Available

Flash Point: No Data Available Evaporation Rate: No Data Available

Flammability: No Data Available

Upper Explosion Limit: No Data Available Lower Explosion Limit: No Data Available

Vapor Pressure: No Data Available
Vapor Density: No Data Available
Relative Density: No Data Available
Water Solubility: No Data Available
Partition Coefficient: No Data Available
Auto-ignition Temperature: No Data Available

Decomposition Temperature: No Data Available

Viscosity: No Data Available

### 9.2 Other Safety Information

No Data Available

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1 Reactivity

No Data Available

### 10.2 Chemical Stability

Stable under recommended storage conditions

# 10.3 Possibility of Hazardous Reactions

No Data Available

# 10.4 Conditions to Avoid

Moisture

# 10.5 Incompatible Materials

Strong oxidizing agents

# **10.6 Hazardous Decomposition Products**

Under fire conditions: Nickel / nickel oxides, Lithium oxides, Cobalt / cobalt oxides, Manganese / manganese oxides

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on Toxicological Effects

# **Acute Toxicity**

Component	Oral LD50	Dermal LD50	Inhalation LC50
NMC111	No data available	No data available	No data available

CBP-50: Lithium Nickel Manganese Cobalt Oxide (NMC111) powder

Page 5 of 6



### Skin corrosion/irritation

No Data Available

# Serious eye damage/eye irritation

No Data Available

# Respiratory or skin sensitization

May cause sensitization by skin contact

# Germ cell mutagenicity

No Data Available

### Carcinogenicity

IARC: Group 1: Carcinogenic to humans

NTP: Known - Known to be human carcinogen

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No Data Available

# **Teratogenicity**

No Data Available

# Specific target organ toxicity - single exposure (Globally Harmonized System)

No Data Available

### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No Data Available

# **Aspiration hazard**

May be irritating to the nose, mucous membranes and respiratory system

### Signs and Symptoms of Exposure

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion.

### **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Component	Green Algae (OECD 201)	Freshwater Fish (OECD 203)	Water Flea (OECD 202)
NMC111	No data available	No data available	No data available

### 12.2 Persistence and Degradability

No Data Available

# 12.3 Bioaccumulative Potential

No Data Available

# 12.4 Mobility in Soil

No Data Available

# 12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not conducted

# 12.6 Other Adverse Effects

Do not allow to enter drains or waterways.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste Treatment Methods - Product

CBP-50: Lithium Nickel Manganese Cobalt Oxide (NMC111) powder



Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# 13.2 Waste Treatment Methods – Contaminated Packaging

Dispose of as unused product, clean residue from packaging (do not allow in drains), & dispose of properly.

#### **SECTION 14: TRANSPORT INFORMATION**

### 14.1 Department of Transportation (DOT - US)

Not Dangerous Goods

### 14.2 International Maritime Dangerous Goods (IMDG)

Not Dangerous Goods

### 14.3 International Air Transport Association (IATA)

Not Dangerous Goods

### 14.4 Additional Transport Information

**HS Code:** 2825.90 **Schedule B:** 2825.90.9000

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Right to Know Components**

ComponentCAS #List CitationsLithium Nickel Manganese Cobalt Oxide346417-97-8NJ, PA Right to Know

#### California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# Toxic Substances Control Act (TSCA) Chemical Substance Inventory

Components: None

# **15.2 Chemical Safety Assessment**

A chemical safety assessment was not carried out for this product.

# **SECTION 16: OTHER INFORMATION**

#### **REACH Number**

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

#### **Further Information**

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

- END OF SDS -

CBP-50: Lithium Nickel Manganese Cobalt Oxide (NMC111) powder